

Catheter-Related Blood Stream Infection (CR-BSI) Prevention Checklist

Purpose: To decrease infections by promoting standardized aseptic technique when performing central line insertions and to evaluate current practices to identify opportunities for improvement.

When: During the insertion of all non-tunneled central venous catheters or PICC lines

By whom: RN assisting with procedure

Date: _____ Location: _____ Time: _____

<p>Type of Catheter:</p> <p><input type="checkbox"/> Triple Lumen SWAN</p> <p><input type="checkbox"/> Art Line PICC</p> <p><input type="checkbox"/> Other _____</p>	<p>Insertion Site:</p> <p>Internal Jugular</p> <p>Subclavian</p> <p>Femoral</p> <p>Other _____</p>
--	--

Procedure:

New-Line	Guidewire exchange
Non-emergent	Emergent (life-threatening or code)

Provider Specialty:

Intensivist	Anesthesia	ED MD
Cardiologist	PICC staff	Radiologist

Prior to procedure, did the provider perform:

Hand Hygiene	Yes	No	Didn't ask
--------------	-----	----	------------

Skin Preparation:

Chloraprep	Betadine	Alcohol
------------	----------	---------

Barrier Precautions - Check all that are used:

Sterile Gloves	Sterile Gown	Head/hair cover
Sterile towels	Large sterile drape	Mask

Was the sterile field maintained throughout the procedure? Yes No

If break in technique due to emergency, is there a documented plan to change the line within 48 hours Yes No

Type of dressing:

Transparent	Gauze	Other (specify): _____
-------------	-------	------------------------

Dressing applied by: Nurse Provider Other _____

Please return completed form to Your Clinical Director/Clinical Lead
Not part of the permanent medical record

Place patient sticker here